IMPACT IMPLEMENTS

PRODUCT CATALOGUE
EDITION 2027 · Q1
NORTH AMERICA



MAKE THE MACHINE A WORK MACHINE.

Lifts, implements, trailers and kits for ATV, UTV, garden, compact and two-wheel tractors. Chosen by the job, fitted by the hitch.

62
ARTICLES ON SALE

10
READY-MADE KITS

6
WAYS TO HITCH

8
JOBS, ONE CHART



IMPACT IMPLEMENTS

BREAK IT, GRADE IT, HAUL IT.

An ATV or a UTV spends the winter pushing snow and much of the rest of the year waiting. Impact Implements is what turns it into the machine that grades the drive, breaks the ground, rakes the leaves and hauls the logs out.

The range is built around three carrying systems: a one-point lift in the receiver of an ATV, UTV or lawn tractor; a Cat-0 three-point set for compact tractors; and a set for two-wheel tractors. Adapters connect them, so one implement can serve more than one machine.

Implements change on a single hitch pin. Designed by MotoAlliance's engineers in the USA and built in heavy-duty steel.

50
SINGLE ARTICLES

12
KITS AND BUNDLES

3
CARRYING SYSTEMS

1
PIN TO CHANGE A TOOL

STEP ONE

WHAT NEEDS DOING?



GRADE AND LEVEL

Drives, lanes, pads and backfill.

ONE-POINT LIFT	IP4447_BK
SLEEVE HITCH	IP3000
CAT-0 THREE-POINT	IP6000 · IP6001
TWO-WHEEL TRACTOR	IP3047_BK · IP2201_BK



BREAK AND TILL

Hard ground, sod and seedbeds.

ONE-POINT LIFT	IP4420_BK · IP4471_BK
CAT-0 THREE-POINT	IP6003 · IP6004 · IP6005
CAT-1 THREE-POINT	IP6100
TWO-WHEEL TRACTOR	IP3020_BK · IP3071_BK



ROWS AND SEEDBED

Furrows, potatoes, packing after seeding.

ONE-POINT LIFT	IP4421_BK · IP4490_BK
CAT-0 THREE-POINT	IP6006
CAT-1 THREE-POINT	IP6100
TWO-WHEEL TRACTOR	IP3090_BK



RAKE AND CLEAR

Stone, brush, trails and arenas.

ONE-POINT LIFT	IP4456_BK
CAT-0 THREE-POINT	IP6002 · IP6002_FBM
TWO-WHEEL TRACTOR	IP3056_BK



LAWN AND YARD

Leaves, grass and the bins.

ONE-POINT LIFT	IP4410_BK
TOWED	IP4422 · IP4423



PLANT TREES

Lift and move young trees.

ONE-POINT LIFT	IP4462_BK



HAUL

Logs, soil, feed and tools.

TWO-WHEEL TRACTOR	IP2212_BK · IP2213_BK
TOWED	IP8210 · IP8215_HD · IP8001 · IP4424



SNOW

Sleds and the walk-behind blade.

TWO-WHEEL TRACTOR	IP2201_BK
TOWED	IP8002 · IP8002_Kit

STEP TWO

WHAT IS ON THE BACK OF YOUR MACHINE?

Impact implements are chosen by the hitch, not by the make. Find the machine, start with what it needs, then add the work.



MACHINE WITH A RECEIVER

ONE-POINT LIFT

2" receiver · ATV, UTV, lawn tractor

START Start with the one-point lift IP4431_BK (crank) or IP4436_BK_HYPro (hydraulic). Add side-to-side angling HYPro_IP.

Then any of 7 implements, or a ready kit (page 7).

18 ARTICLES P. 6



GARDEN TRACTOR

SLEEVE HITCH

Garden tractor

START The box scraper IP3000 goes straight on. The sleeve hitch adapter IP4412_BK takes the one-point implements.

Other way round: IP4413_BK puts a sleeve-hitch implement on the one-point lift.

9 ARTICLES P. 8



COMPACT TRACTOR

CAT-0 THREE-POINT

Compact tractor up to 20 hp

START The Cat-0 set mounts directly: 8 implements, or a three- or seven-piece kit.

IP4411_BK takes the one-point implements; IP4415_BK gives a receiver point, IP4414_BK a sleeve hitch.

13 ARTICLES P. 12



TRACTOR, 25–45 HP

CAT-1 THREE-POINT

Tractor of 25 to 45 hp

START The rotating implement IP6100: middle buster on one side, scarifier on the other.

The quick hitch pair IP6130_BK makes a Cat-1 change one movement.

2 ARTICLES P. 14



TWO-WHEEL TRACTOR

TWO-WHEEL TRACTOR

Walk-behind (BCS)

START Start with the implement adapter IP3010_BK.

Then 6 implements. Trailers hitch on with IP2212_BK or the swivel yoke IP2213_BK.

9 ARTICLES P. 16



ANYTHING THAT PULLS

TOWED

Hitch pin or 2" ball

START Trailers, log hauler, sleds and lawn sweepers tow on a pin.

The coupler kit IP8910 puts a trailer on a standard ball.

11 ARTICLES P. 17

THE CHART

FIND THE JOB, READ ACROSS.

	 ONE-POINT LIFT 2" receiver · ATV, UTV, lawn tractor	 SLEEVE HITCH Garden tractor	 CAT-0 THREE-POINT Compact tractor up to 20 hp	 CAT-1 THREE-POINT Tractor of 25 to 45 hp	 TWO-WHEEL TRACTOR Walk-behind (BCS)	 TOWED Hitch pin or 2" ball
GRADE AND LEVEL Drives, lanes, pads and backfill.	IP4447_BK	IP3000	IP6000 IP6001		IP3047_BK IP2201_BK	
BREAK AND TILL Hard ground, sod and seedbeds.	IP4420_BK IP4471_BK		IP6003 IP6004 IP6005	IP6100	IP3020_BK IP3071_BK	
ROWS AND SEEDBED Furrows, potatoes, packing after seeding.	IP4421_BK IP4490_BK		IP6006	IP6100	IP3090_BK	
RAKE AND CLEAR Stone, brush, trails and arenas.	IP4456_BK		IP6002 IP6002_FBM		IP3056_BK	
LAWN AND YARD Leaves, grass and the bins.	IP4410_BK					IP4422 IP4423
PLANT TREES Lift and move young trees.	IP4462_BK					
HAUL Logs, soil, feed and tools.					IP2212_BK IP2213_BK	IP8210 IP8215_HD IP8001 IP4424
SNOW Sleds and the walk-behind blade.					IP2201_BK	IP8002 IP8002_Kit

One implement, three machines. The one-point implements also go on a Cat-0 hitch with IP4411_BK and on a sleeve hitch with IP4412_BK. Disc harrow and cultipacker take ballast in the weight tray IP5578.

What the machine must have first. A receiver for the lift, a Cat-0 or Cat-1 hitch already fitted to the tractor, and on the two-wheel tractor the adapter IP3010_BK. The tree spade needs the heavy-duty lift.



CARRYING SYSTEM ONE

ONE LIFT. EVERY TOOL.

The lift goes in the receiver; every one-point implement hangs off it on a single pin. Crank it, or let the hydraulic lift do it from the seat. Hydraulic side-to-side angling swings the implement while you drive.

	IP4431_BK **MANUAL**	IP4436_BK_HYPRO **HYDRAULIC**
LIFTS BY	Hand crank	Electric-hydraulic pump, up/down switch
ADJUSTMENT	Further 10 in (254 mm) fine adjustment	10 in (254 mm) hydraulic
FORCE	—	About 1100 lb (499 kg) push, 800 lb (363 kg) pull
POWER	—	Machine's electrical system, 5–30 A
FRAME	14-gauge tube, four linkage arms, three positions	Heavy-duty steel
MOUNTS	2" receiver, not included	2" receiver, not included



HYPro_IP

Hydraulic side-to-side angling for the one-point lift

- Swings blades, cultipackers, cultivators, tree spades and rakes from the seat
- Full sweep in about 10 seconds, angle changes while driving
- Sealed for life: no fluid to buy, bleed or change
- Chrome-plated ¾" cylinder shafts, overload protection
- Two-bolt installation on the one-point lift, no modification
- Supplied with contactor, rocker handlebar switch and instructions

Three-year manufacturer warranty on the angling system.

READY-MADE

LIFT AND TOOLS IN ONE BOX.

Eight kits pair the lift with the implements most people start with. Every kit fits a receiver; the receiver itself is not included.

KIT	LIFT	GRADING BLADE WITH BOX ENDS IP4447_BK	FIELD RAKE WITH TIPPER LATCH IP4456_BK	CULTIVATOR IP4420_BK	DISC HARROW WITH WEIGHT TRAY IP4471_BK	MIDDLE BUSTER AND FURROWER IP4490_BK
Landscape kit IP4999_Landscape_Kit	■ crank	■	■			
Hydraulic landscape kit IP4999_HydraulicLandscape_Kit	■ hydraulic	■	■			
New soil cultivation kit IP4999_NewSoil_Kit	■ crank			■	■	■
Hydraulic new soil cultivation kit IP4999_HydraulicNewSoil_Kit	■ hydraulic			■	■	■
Five-piece system IP4999_5_Piece_Kit	■ crank	■	■		■	■
Five-piece hydraulic system IP4999_5_Piece_Hydro_Kit	■ hydraulic	■	■		■	■
Six-piece agricultural kit IP4999_6_Piece_Kit	■ crank	■	■	■	■	■
Six-piece hydraulic kit IP4999_6_Piece_Hydro_Kit	■ hydraulic	■	■	■	■	■



IP4999_6_Piece_Kit

Six-piece agricultural kit



IP4999_6_Piece_Hydro_Kit

Six-piece hydraulic kit



IP4999_Landscape_Kit

Landscape kit

GRADE · RAKE · SWEEP

LEVEL IT, CLEAR IT.

On the lift with one pin: the grading blade and the rake. The box scraper takes a sleeve hitch; the lawn sweepers tow; the bin hauler goes in the receiver.



IP4447_BK — 52 in · 72 lb

Grading blade with box ends, 52 in

- Blade 52 × 12 in (1321 × 305 mm), box ends 6.5 × 12 in (165 × 305 mm)
- Three positions, 12° angle either way
- Reversible, replaceable cutting edge



IP4456_BK — 62 in · 65 lb

Field rake with tipper latch, 62 in

- 19 replaceable spring steel tines, 60 in (1524 mm) raking path
- Quick-pull latch swings the rake back to drop the windrow
- Tines 1 × 10 in (25 × 254 mm), do not bend or warp



IP3000 — 38 in

Box scraper, 38 in

- Shanks break the surface, the rear edge levels what they lift
- Sleeve hitch connection, for garden tractors

Does not work with lawn tractors.



IP4410_BK

Wheelie bin hauler

- Takes the bins down the drive on any 2" receiver, Cat-0 receiver included



IP4422 — 42 in

Lawn sweeper, 42 in

- Sweeps leaves, grass clippings and twigs into a mesh hopper



IP4423 — 48 in

Lawn sweeper, 48 in

- Sweeps leaves, grass clippings and twigs into a mesh hopper

BREAK · TILL · SOW

BREAK THE CRUST, OPEN THE ROW.

From the first pass on hard ground to packing the seedbed. Disc harrow and cultipacker carry a weight tray for ballast.



IP4420_BK — 50 in · 68 lb

Cultivator, spring steel tines

- Six adjustable, replaceable tines with bevelled edges
- 49 in (1245 mm) cutting path · tines 2 × 12.5 in (51 × 318 mm)
- Secondary tillage near the surface, deep furrows for seeding



IP4471_BK — 54 in

Disc harrow with weight tray

- Eight 12 in (305 mm) notched, hardened discs in two gangs of four
- 54 in (1372 mm) cutting width, 15° angle of attack
- Two heavy-duty roller bearings per axle, integrated weight tray



IP4421_BK — 50 in · 82 lb

Cultipacker with weight tray

- Breaks clumps and firms the soil around broadcast seed
- Integrated weight tray takes ballast for hard ground



IP4490_BK — 40 lb

Middle buster and furrower

- Rigid drop shank, cutting tine 16 × 5.5 in (406 × 140 mm)
- Potatoes, laying off rows, furrows and trenches for water lines



PLANT TREES

MOVE A TREE WITHOUT A SHOVEL.



IP4462_BK — 60 lb


- Root ball 18–20 in (457–508 mm) across, about 16 in (406 mm) deep
- Trees up to 2 in (51 mm) trunk diameter
- Prongs lock upright for transport through woodland

Must be used with the heavy-duty one-point lift. The Pro kit IP4462_BK-HYPro_IP includes it, with hydraulics.



IP4462_BK-HYPro_IP — 120 lb

- Tree spade, heavy-duty one-point lift and hydraulic pump in one kit
- For rows, or acres, of trees
- Same root ball: 18–20 in (457–508 mm) across



Cultivator IP4420_BK on the one-point lift.



Cultipacker IP4421_BK, weight tray on top.



Middle buster IP4490_BK.



Rotating implement IP6100 on a Cat-1 tractor.

CARRYING SYSTEM TWO · GRADE AND RAKE

THE CAT-0 SET.

Cat-0 means tractor power up to 20 hp (15 kW). Every implement in the set has an integrated three-point quick mount and comes off without tools. A Cat-0 hitch must already be fitted to the tractor.



IP6000 — 52 in · 92 lb

Rear grading blade, Cat-0, 52 in

- Blade 52 × 12.5 in (1321 × 318 mm), angle 15–30°
- 8-gauge three-point frame, 10-gauge main tube
- Replaceable, reversible cutting edge



IP6001 — 55 in · 130 lb

Box scraper, Cat-0, 55 in

- Blade 55 × 12 × 12 in (1397 × 305 × 305 mm), box ends 12 × 12 in (305 × 305 mm)
- Six replaceable ripper tines, 5 in (127 mm) of height adjustment
- Reversible, replaceable wear bar; 8- and 10-gauge steel



IP6002 — 50 in · 80 lb

Field rake, Cat-0, 50 in

- 17 replaceable spring steel tines, 2 1/8 in (54 mm) apart
- Five-position angle adjustment, heavy-duty stabiliser bar
- Unit 50 × 10.5 × 8 in (1270 × 267 × 203 mm)



IP6002_FBM — 50 in · 80 lb

Landscape rake, Cat-0, 50 in

- 17 replaceable spring steel tines, 2 1/8 in (54 mm) apart
- Five-position angle adjustment, heavy-duty stabiliser bar
- Trails, food plots, arenas and lawns

BREAK AND SOW

BREAK THE HARD PACK.

The scarifier makes the first pass on hard-packed ground; cultivator and disc plough follow; the middle buster opens the rows.



IP6005 — 48 in · 54 lb

Scarifier, Cat-0, 48 in

- Six replaceable, height-adjustable tines with tempered shoes
- First pass on hard-packed ground before landscaping
- Unit 48 × 17 × 7 in (1219 × 432 × 178 mm)



IP6003 — 52 in · 75 lb

Cultivator, Cat-0, 52 in

- Six adjustable, replaceable S-tines, up to 48 in (1219 mm) cutting path
- Spacing adjusts and tines come off for row widths
- Height 21.25 in (540 mm); 8-gauge frame, 10-gauge main tube



IP6004 — 48 in · 185 lb

Disc plough, Cat-0, 48 in

- Eight 14 in (356 mm) serrated discs, 2 in (51 mm) cupping
- Cutting width 48–52 in (1219–1321 mm), 15° angle of attack
- Agricultural-grade axle bearings, 8-gauge frame



IP6006 — 29 lb

Middle buster and furrower, Cat-0

- Cuts up to 10 in (254 mm) deep; edge 2 × 7 in (51 × 178 mm)
- Rigid drop shank, reversible tempered edge

CAT-0 KITS

THE WHOLE SET, ONE ORDER.



IP6000_3_Piece_Kit — 3 pieces

Three-piece system for Cat-0

- IP6001 Box scraper, Cat-0, 55 in
- IP6002_FBM Landscape rake, Cat-0, 50 in
- IP6004 Disc plough, Cat-0, 48 in



IP6000_7_Piece_Kit — 7 pieces

Seven-piece system for Cat-0

- IP6000 Rear grading blade, Cat-0, 52 in
- IP6001 Box scraper, Cat-0, 55 in
- IP6002_FBM Landscape rake, Cat-0, 50 in
- IP6003 Cultivator, Cat-0, 52 in
- IP6004 Disc plough, Cat-0, 48 in
- IP6005 Scarifier, Cat-0, 48 in
- IP6006 Middle buster and furrower, Cat-0

CAT-1 THREE-POINT · TRACTORS OF 25 TO 45 HP



IP6100

Rotating implement, middle buster and scarifier, Cat-1

- One side: a heavy middle buster for winter-packed ground
- Pull two T-pins, turn the body 180°: seven scarifier tines and plough spades

Cat-1 covers tractors of 25 to 45 hp.



IP6130_BK — 11 lb

Quick hitch, Cat-1 (pair)


- Two quick hitches, two wire-lock snap rings, two detent pins
- Powder-coated steel; 11 lb (5 kg) each

Cat-1 covers tractors of 25 to 45 hp.

BETWEEN SYSTEMS

ONE TOOL, ANOTHER HITCH.

The pieces that let an implement built for one hitch go on another, and a trailer go on a ball.



IP4411_BK

Three-point hitch adapter, Cat-0

- Mounts the one-point implements on a Cat-0 hitch
- Single pin, included; Cat-0 hitch must be fitted

Not a 2" receiver hitch: it does not take ordinary towing accessories.

PHOTO TO FOLLOW

IP4412_BK

Sleeve hitch adapter

- Mounts the one-point implements on a garden tractor's sleeve hitch

The sleeve hitch on the tractor is not included.



IP4413_BK

Sleeve hitch to 50 mm receiver

- Puts sleeve-hitch implements on the one-point lift, manual or hydraulic



IP4414_BK

Three-point to sleeve hitch

- Cat-0 hitch to a sleeve-hitch mounting point
- Lift arm spread 20 in (508 mm), height 12 in (305 mm), pins 5/8 in (16 mm); pin not included

Not a 2" receiver hitch: it does not take ordinary towing accessories.



IP4415_BK

Three-point to 50 mm receiver

- Cat-0 hitch to a 2" (50 mm) receiver mounting point
- Lift arm spread 20 in (508 mm), height 12 in (305 mm), pins 5/8 in (16 mm); pin included

Not a 2" receiver hitch for towing: it does not take ordinary towing accessories.



IP8910

Coupler kit, 50 mm

- Zinc-coated, lockable quick-release trigger latch
- Fits a 2" tongue and a standard 2" (50 mm) ball
- Class 1, max gross trailer weight 3 500 lb (1 588 kg); hardware included

Some hitch tongues need two ½" holes drilled before fitting.

PHOTO TO FOLLOW

IP6050

PTO coupler adapter



IP5578

Weight tray

- 14-gauge steel; holds up to 80 lb (36 kg), two cinder blocks
- Adds down-force to the disc harrow

CARRYING SYSTEM THREE

THE WALK-BEHIND SET.

The implement adapter goes on first; every implement then changes on one pin. Fits BCS 710, 718, 722, 732, 739, 749, 770, 852, 853; the trailer adapters do not fit the BCS 750.



IP3010_BK · 11 lb

Implement adapter

- 14-gauge tube steel, nine holes for height
- Implements change on a single hitch pin, included



IP3020_BK · 36 in · 26 lb

Cultivator

- Four adjustable, replaceable S-tines, 36 in (914 mm) path
- Height 12.5 in (318 mm); tines 2 × 19 in (51 × 483 mm)

Needs the adapter IP3010_BK.



IP3047_BK · 36 in · 62 lb

Grading blade with box ends

- 36 × 17 in (914 × 432 mm), three positions, 12° either way
- Two box ends hold the material; reversible edge

Needs the adapter IP3010_BK.



IP3056_BK · 36 in · 53 lb

Landscape rake

- Eleven replaceable spring steel tines, up to 36 in (914 mm) path
- Quick-pull latch swings the rake back to clear it

Needs the adapter IP3010_BK.



IP3071_BK · 37 in · 97 lb

Disc harrow

- Six 12 in (305 mm) notched, hardened discs in two gangs of three
- 37 in (940 mm) cutting width, 15° angle of attack

Needs the adapter IP3010_BK.



IP3090_BK

Middle buster



IP2201_BK · 46 in · 43.6 lb

Snow blade

- 46 in (1168 mm) blade from one piece of 11-gauge steel, 7-gauge stabilisers
- Two ¼" wear bars: one for snow, one for grading dirt

Needs the adapter IP3010_BK and a quick hitch adapter on the tractor, not in this range.



IP2212_BK · 4 lb

Trailer adapter

- Rigid single-plane connection for the field and poly tub trailers
- Bolts to the tractor; hole 5/8 in (16 mm), pin not included

Not the BCS 750.



IP2213_BK · 7 lb

Trailer swivel yoke

- Swivels, so the trailer follows the terrain
- Bolts to the tractor; hole 5/8 in (16 mm), pin not included

Not the BCS 750.



TRAILERS

MOVE WHAT COMES OFF IT.



IP8210 138 lb

Field trailer, 1000 lb

- Load 1000 lb (454 kg), 12 cu ft (340 l); bed 56 × 30 × 12 in (1422 × 762 × 305 mm)
- Tipping bed with foot-release latch, removable tailgate and rails
- Pass-through 1 in (25 mm) axle, 11 in (279 mm) ground clearance, sealed bearings



IP8215_HD

Heavy duty field trailer, solid floor and sides, 1500 lb

- Load 1500 lb (680 kg), 15 cu ft (425 l); solid steel floor and raised sides
- Seed, sand, soil and gravel stay in the bed
- Removable tailgate and 16-gauge rails, foot-release tipping



IP8001 120 lb

Poly tub trailer, 1500 lb

- Load 1500 lb (680 kg), 15 cu ft (425 l); tub 52 × 24.5 × 9 in (1321 × 622 × 229 mm)
- Moulded poly tub will not rust or dent; tips clean
- Hitch pivots up/down and side to side; 18 × 8 in (457 × 203 mm) tyres



THE WOODLOT

BRING THE LOG OUT IN ONE PIECE.



IP4424

- Carries logs up to 1600 lb (726 kg), whole, without bucking
- Hand-crank winch lifts the log
- Hitch pin connector included; tows from tractor, ATV or UTV



IP4424_MD4500_BK

- The same log hauler with a Viper Midnight 4500 lb electric winch in place of the hand crank
- Battery not included

SNOW AND TRAILER ACCESSORIES

SLEDS, AND WHAT GOES ON THE TRAILER.

The sleds pull behind an ATV, UTV or snowmobile on one pin. Cover, tool box and chainsaw holder go on the trailer rails.

PHOTO TO FOLLOW

IP8002

Snow sled

- Poly tub 52 × 24.5 × 9 in (1321 × 622 × 229 mm), 10 cu ft (285 l)
- Steel frame, pivoting pin hitch for ATV, UTV or snowmobile

PHOTO TO FOLLOW

IP8002_Kit

Snow sled with rails

- As the snow sled, with a five-piece mesh rail kit: 15 cu ft (425 l)



IP8230

Trailer cover

- Waterproof canvas, fits over the rails; rivets for bungees

Fits the field trailers IP8210 and IP8215_HD.



IP8232

Trailer tool box

- Weatherproof box that mounts on the trailer rails

Does not fit **IP8001**.



IP8231

Chainsaw holder

- Holds the chainsaw on the trailer rails, bed stays free

Does not fit **IP8001** or **IP8210**.

WHICH TRAILER?

	LOAD	VOLUME	BED
IP8210	1000 lb	12 cu ft (340 l)	Steel bed
IP8215_HD	1500 lb	15 cu ft (425 l)	Solid floor, raised sides
IP8001	1500 lb	15 cu ft (425 l)	Poly tub

FITS	IP8210	IP8215_HD	IP8001
IP8230	■	■	–
IP8232	■	■	–
IP8231	–	■	–

ARTICLE INDEX

62 ARTICLES · NUMBERS AS IN THE SHOP

ARTICLE	DESCRIPTION	
ONE-POINT LIFT		
HYPro_IP	Hydraulic side-to-side angling for the one-point lift	
IP3000	Box scraper, 38 in	38 in
IP4420_BK	Cultivator, spring steel tines	50 in · 68 lb
IP4421_BK	Cultipacker with weight tray	50 in · 82 lb
IP4422	Lawn sweeper, 42 in	42 in
IP4423	Lawn sweeper, 48 in	48 in
IP4431_BK	One-point lift for ATV and UTV	
IP4436_BK_HYPro	Hydraulic one-point lift	
IP4447_BK	Grading blade with box ends, 52 in	52 in · 72 lb
IP4456_BK	Field rake with tipper latch, 62 in	62 in · 65 lb
IP4462_BK	Tree spade	60 lb
IP4471_BK	Disc harrow with weight tray	54 in
IP4490_BK	Middle buster and furrower	40 lb
CAT-0 THREE-POINT		
IP6000	Rear grading blade, Cat-0, 52 in	52 in · 92 lb
IP6001	Box scraper, Cat-0, 55 in	55 in · 130 lb
IP6002	Field rake, Cat-0, 50 in	50 in · 80 lb
IP6002_FBM	Landscape rake, Cat-0, 50 in	50 in · 80 lb
IP6003	Cultivator, Cat-0, 52 in	52 in · 75 lb
IP6004	Disc plough, Cat-0, 48 in	48 in · 185 lb
IP6005	Scarifier, Cat-0, 48 in	48 in · 54 lb
IP6006	Middle buster and furrower, Cat-0	29 lb
CAT-1 THREE-POINT		
IP6100	Rotating implement, middle buster and scarifier, Cat-1	
IP6130_BK	Quick hitch, Cat-1 (pair)	11 lb

ARTICLE	DESCRIPTION	
ADAPTERS		
IP4411_BK	Three-point hitch adapter, Cat-0	
IP4412_BK	Sleeve hitch adapter	
IP4413_BK	Sleeve hitch to 50 mm receiver	
IP4414_BK	Three-point to sleeve hitch	
IP4415_BK	Three-point to 50 mm receiver	
IP6050	PTO coupler adapter	
IP8910	Coupler kit, 50 mm	
TWO-WHEEL TRACTOR		
IP2201_BK	Snow blade	46 in · 43.6 lb
IP2212_BK	Trailer adapter	4 lb
IP2213_BK	Trailer swivel yoke	7 lb
IP3010_BK	Implement adapter	11 lb
IP3020_BK	Cultivator	36 in · 26 lb
IP3047_BK	Grading blade with box ends	36 in · 62 lb
IP3056_BK	Landscape rake	36 in · 53 lb
IP3071_BK	Disc harrow	37 in · 97 lb
IP3090_BK	Middle buster	
HAULING		
IP4410_BK	Wheelie bin hauler	
IP4424	Log hauler	
IP5578	Weight tray	
IP8001	Poly tub trailer, 1500 lb	120 lb
IP8002	Snow sled	
IP8002_Kit	Snow sled with rails	
IP8210	Field trailer, 1000 lb	138 lb
IP8215_HD	Heavy duty field trailer, solid floor and sides, 1500 lb	
IP8230	Trailer cover	
IP8231	Chainsaw holder	
IP8232	Trailer tool box	
KITS AND BUNDLES		
IP4999_Landscape_Kit	Landscape kit	
IP4999_HydraulicLandscape_Kit	Hydraulic landscape kit	
IP4999_NewSoil_Kit	New soil cultivation kit	
IP4999_HydraulicNewSoil_Kit	Hydraulic new soil cultivation kit	
IP4999_5_Piece_Kit	Five-piece system	
IP4999_5_Piece_Hydro_Kit	Five-piece hydraulic system	
IP4999_6_Piece_Kit	Six-piece agricultural kit	
IP4999_6_Piece_Hydro_Kit	Six-piece hydraulic kit	
IP6000_3_Piece_Kit	Three-piece system for Cat-0	
IP6000_7_Piece_Kit	Seven-piece system for Cat-0	
IP4462_BK-HYPro_IP	Pro tree spade with hydraulic lift	
IP4424_MD4500_BK	Log hauler with 4500 lb winch	

STATED ONCE

WHAT IT NEEDS, WHAT DOES NOT FIT.

ARTICLE	EVERY CAVEAT IN THE RANGE, IN ONE PLACE
IP2201_BK	**Snow blade.** BCS 710, 718, 722, 732, 739, 749, 770, 852, 853. Also needs a quick hitch adapter on the tractor, not part of this range. Needs the adapter IP3010_BK.
IP2212_BK	**Trailer adapter.** BCS 710, 718, 722, 732, 739, 749, 770, 852, 853. Not the BCS 750.
IP2213_BK	**Trailer swivel yoke.** BCS 710, 718, 722, 732, 739, 749, 770, 852, 853. Not the BCS 750.
IP3000	**Box scraper, 38 in.** Does not work with lawn tractors.
IP3020_BK	**Cultivator.** Needs the adapter IP3010_BK.
IP3047_BK	**Grading blade with box ends.** Needs the adapter IP3010_BK.
IP3056_BK	**Landscape rake.** Needs the adapter IP3010_BK.
IP3071_BK	**Disc harrow.** Needs the adapter IP3010_BK.
IP4411_BK	**Three-point hitch adapter, Cat-0.** Not a 2" receiver hitch: it does not take ordinary towing accessories.
IP4412_BK	**Sleeve hitch adapter.** The sleeve hitch on the tractor is not included.
IP4414_BK	**Three-point to sleeve hitch.** Not a 2" receiver hitch: it does not take ordinary towing accessories.
IP4415_BK	**Three-point to 50 mm receiver.** Not a 2" receiver hitch for towing: it does not take ordinary towing accessories.
IP4431_BK	**One-point lift for ATV and UTV.** Needs a 2" (50 mm) receiver on the machine, not included.
IP4436_BK_HYPro	**Hydraulic one-point lift.** Needs a 2" (50 mm) receiver on the machine, not included.
IP4462_BK	**Tree spade.** Must be used with the heavy-duty one-point lift. The Pro kit IP4462_BK-HYPro_IP includes it, with hydraulics.
IP6100	**Rotating implement, middle buster and scarifier, Cat-1.** Cat-1 covers tractors of 25 to 45 hp.
IP6130_BK	**Quick hitch, Cat-1 (pair).** Cat-1 covers tractors of 25 to 45 hp.
IP8230	**Trailer cover.** Fits the field trailers IP8210 and IP8215_HD.
IP8231	**Chainsaw holder.** Does not fit IP8001 or IP8210.
IP8232	**Trailer tool box.** Does not fit IP8001.
IP8910	**Coupler kit, 50 mm.** Some hitch tongues need two ½" holes drilled before fitting.

ASSEMBLY

The Cat-0 implements are delivered for assembly. Every implement changes on the hitch pin supplied with it; the receiver or three-point hitch on the machine is not included.

WARRANTY

Manufacturer warranty, with terms that vary by product. Keep the proof of purchase; claims go through the shop you bought from. Statutory consumer rights are not affected.

WHERE TO BUY

Impact Implements is sold by Lionparts, online and through our dealers. Not sure which hitch you have? Send a photo of the back of the machine.

LIONPARTS.COM
help@lionparts.com

BUILT AROUND THE RIDER.

A customer service company first, and a parts company second.

FUELING FREEDOM & ADVENTURE.

Lionparts began in 2014 as an online retailer serving powersports riders. From the start we believed that finding the right part and getting the right help belong to the same experience.

Over the years we have grown beyond buying from the large distributors. We work long-term with established brands, independent manufacturers and specialists whose products do not always fit the traditional distribution model, and we connect them with the riders and dealers who need them.

Since 2025 we have been growing into Canada and Europe, with people on three continents and the same idea that built the business: service first, parts second.

Today the catalogue holds more than 200,000 products for ATV, UTV, motorcycle, snowmobile and marine. We ship more than 100,000 orders a year from our own fulfilment centre in upstate New York and from stock we buy ahead and position in warehouses across the country.

Alongside the brands we represent, we develop our own product lines, including EMBERON, KINTORQUE, RINFLO and UNBEHAVED. Each serves its own corner of the powersports market, shaped by what riders actually need and priced to give practical value.

Dealers welcome. Through our invite-only dealer programme we help dealerships, especially small and midsize ones, reach a broad range with competitive terms and support that answers.

2014	200 000+	100 000+	3
FOUNDED	PRODUCTS	ORDERS A YEAR	CONTINENTS

THE LIONPARTS BRANDS

Our own brands and the manufacturers we carry. Each has its own catalogue, and every one of them is in the shop.

EMBERON

UTV cab heaters

EMBERONPOWER.COM

KINTORQUE

LED lighting for ATV, UTV and snowmobile

KINTORQUE.COM

RINFLO

HIGH-PERFORMANCE FILTRATION

Air and oil filtration for ATV, UTV and SSV

RINFLO.CO

UNBEHAVED

CNC-machined billet aluminium parts

UNBEHAVED.CO

VIPER

Winches, mounts and synthetic rope

DENALI

Snow plow systems for ATV and UTV

IMPACT IMPLEMENTS

Ground implements for ATV and UTV

THIS CATALOGUE

HIGHLANDS

Cargo boxes and bed covers for UTV



LION PARTS POWERSPORTS

SOLD IN NORTH AMERICA BY

Lionparts
help@lionparts.com
lionparts.com

ALL OUR BRANDS
IN THE SHOP

Impact Implements is a brand of MotoAlliance, sold by Lionparts. Vehicle makes and model names are used for fitment reference only and remain the property of their respective owners. Specifications are subject to change.